Article No Print date Version:		10 [Z] ZowoSmart® 50 Revision date: 08.09 Issue date: 08.05.20	5.2023	EN Coating Systems
SECTIC	ON 1: Identification o	f the substance/mixtu	re and of the company	//undertaking
1.1. <b>Pr</b>	oduct identifier			
	ticle No. (manufacturer/s ade name/designation	supplier)	ZZ761A8ALB10 [Z] ZowoSmart® 5076 AcrylicFiller	
1.2. <b>Re</b>	elevant identified uses	of the substance or mixt	ure and uses advised a	gainst
pa	elevant identified uses int and/or paint related r eserved for industrial and			
1.3. <b>De</b>	etails of the supplier of	the safety data sheet		
		mporter/downstream use	er/distributor)	
Co Ma	erger-Zobel GmbH bating Systems aybachstraße 2 '269 Grünstadt		Telephone: +49 6359 / 8 Telefax: +49 6359 / 8005	
	epartment responsible	for information:		
	lboratory mail		Sicherheitsdaten@berge	er-zobel de
1.4. <b>En</b> 24 (B	nergency telephone nu -hour emergency numbe LG)			
	ON 2: Hazards identif			
	assification of the sub			
		to Regulation (EC) No 12	272/2008 [C] PI	
	-	s not hazardous according		72/2008 [CLP]
			,	, [, ].
2.2. <b>La</b>	bel elements			
La	Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
На	azard pictograms			
На	azard statements	applicable		
Pr	ecautionary statement			
	-	applicable		
Ha	azard components for l not	<b>abelling</b> applicable		
	upplemental hazard inf			
		itains 1,2-benzisothiazol-3 ety data sheet available or		n allergic reaction.
2.3. <b>Ot</b>	ther hazards		·	
No	o information available.			
	ther information: If mean hildren. Read label befo		ave product container o	r label at hand. Keep out of reach of
SECTIC	ON 3: Composition/in	formation on ingredie	nts	
3.2. Mi	ixtures			
De	escription Pig	mentpaste		
CI	assification according	to Regulation (EC) No 12	272/2008 [CLP]	

**[Z]** ZOBEL

Classification according to Regulation (EC) No 1272/2008 [CLP]		
EC No.	REACH No.	
CAS No.	Designation	weight-%
Index No.	classification // Remark	

Article No.: Print date: Version: ZZ761A8ALB10 11.05.2023 3.0003

[Z] ZowoSmart® 5076 Revision date: 08.05.2023 Issue date: 08.05.2023 EN Coating Systems

Z ZOBEL

Page 2 / 7

not applicable

#### Additional information

Full text of classification: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

## 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

#### SECTION 7: Handling and storage

Article No.:	ZZ761A8ALB10	[Z] ZowoSmart® 5076
Print date:	11.05.2023	Revision date: 08.05.2023
Version:	3.0003	Issue date: 08.05.2023

# EN Coating Systems

**Z** ZOBEL

Page 3/7

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### **Further information**

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

#### Personal protection equipment

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: Butyl caoutchouc (butyl rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### **Body protection**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls



Page 4 / 7

Revision date: 08.05.2023
Issue date: 08.05.2023

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Physical state: Colour:	Liquid white
	Odour:	characteristic
	Odour threshold:	not applicable
	Melting point/freezing point:	not applicable
	Initial boiling point and boiling range:	<b>100 °C</b> Source: Water
	Flammability:	not applicable
	Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	0,8 Vol-% not applicable
	Flash point:	not applicable
	Auto-ignition temperature:	not applicable
	Decomposition temperature:	not applicable
	pH at 20 °C:	not determined
	Viscosity at °C:	hochviskos
	Solubility(ies): Water solubility at 20 °C:	partially soluble
	Partition coefficient: n-octanol/water:	see section 12
	Vapour pressure at 20 °C:	<b>23 mbar</b> Method: calculated. Source: Water
	Density and/or relative density:	
	Density at 20 °C:	<b>1,91 g/cm³</b> Method: ISO 2811, part 3
	Relative vapour density:	not applicable
	particle characteristics:	not applicable
9.2.	Other information	
	Solid content:	82,00 weight-%
	solvent content: Organic solvents: Water:	0 weight-% 18 weight-%
	Solvent separation test:	< 3 weight-% (ADR/RID)
	•	,

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

## 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. Incompatible materials

Article No.:		[Z] ZowoSmart® 5076
Print date:	11.05.2023	Revision date: 08.05.2023
Version:	3.0003	lssue date: 08.05.2023

#### not applicable

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

No information available.

#### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Toxicological data are not available.

# 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### **Bioconcentration factor (BCF)**

Toxicological data are not available.

## 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No information available.

Z ZOBEL

Page 5 / 7

Article No.: Print date:	ZZ761A8ALB10 11.05.2023	[Z] ZowoSmart® 5076 Revision date: 08.05.2023
FIIII uale.	11.05.2025	Revision date. 00.03.2023
Version:	3.0003	Issue date: 08.05.2023

**Coating Systems** 

Z ZOBEL

ΕN Page 6/7

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

#### **SECTION 14: Transport information**

#### No dangerous good in sense of this transport regulation.

14.1. UN number or ID number	not applicable
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	not applicable
14.4. Packing group	not applicable
14.5. Environmental hazards	
Land transport (ADR/RID)	not applicable
Marine pollutant	not applicable

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8

#### **Further information**

#### Land transport (ADR/RID)

Tunnel restriction code

#### Sea transport (IMDG)

EmS-No

not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

# Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC-value (in g/L) ISO 11890-2: 6 VOC-value (in g/L) ASTM D2369: 9

# National regulations

## **Restrictions of occupation**

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Article No.:	ZZ761A8ALB10	[Z] ZowoSmart® 5076
Print date:	11.05.2023	Revision date: 08.05.2023
Version:	3.0003	Issue date: 08.05.2023

# Other information:

Switzerland:

Volatile organic compounds (VOC) content in percent by weight: 0

Denmark:

PR-No.:

MAL code (MAL code in mixture):

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

Abbreviations and acronyms			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
OEL	Occupational Exposure Limit Value		
BLV	Biological Limit Value		
CAS	Chemical Abstracts Service		
CLP	Classification, Labelling and Packaging		
CMR	Carcinogenic, Mutagenic and Reprotoxic		
DIN	German Institute for Standardization / German industrial standard		
DNEL	Derived No-Effect Level		
EAKV	European Waste Catalogue Directive		
EC	Effective Concentration		
EC	European Community		
EN	European Standard		
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations		
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous		
	Goods by Air		
IMDG Code	International Maritime Code for Dangerous Goods		
ISO	International Organization for Standardization		
LC	Lethal Concentration		
LD	Lethal Dose		
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships		
OECD	Organisation for Economic Cooperation and Development		
PBT	persistent, bioaccumulative, toxic		
PNEC	Predicted No Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
UN	United Nations		
VOC	Volatile Organic Compounds		
vPvB	very persistent and very bioaccumulative		

## **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

EN Page 7 / 7

**Z** ZOBEL

**Coating Systems**